

Maximum Retail Prices for Wires and Cables Effective from 05.09.2013



General Terms :

All prices are on maximum retail price basis inclusive of Excise Duty and VAT / Sales Tax as applicable.

This price list supersedes all our earlier price lists and subject to change without notice.

Orders will be accepted only in multiple quantities of Standard Packing

(A) FR PVC Insulated Single Core Unsheathed with Multistrand bare Copper Conductor.

Voltage Grade 1.1kV (1100V), Conforming to IS:694-1990.

(i) FR 90 Meter coil

Cat. No.	As per IS:3961 Current Carrying Capacity A	Cross Sectional area of conductor in sq. mm	Construction Details	90 Meters Unit Price (Rs.)	Standard Packages (No. of Units)
WH 00007 P*AO	7	0.75	24/0.2	870	20
WH 00010 P*AO	11	1.00	14/0.3	1160	16
WH 00015 P*AO	14	1.50	22/0.3	1700	10
WH 00025 P*AO	19	2.50	36/0.3	2760	8
WH 00040 P*AO	26	4.00	56/0.3	4060	5
WH 00060 P*AO	31	6.00	84/0.3	6180	4
WH 00100 P*AO	45	10.00	80/0.4	10600	1
WH 00160 P*AO	60	16.00	126/0.4	16460	1

(ii) FR 180 Meter coil

Cat. No.	As per IS:3961 Current Carrying Capacity A	Cross Sectional area of conductor in sq. mm	Construction Details	180 Meters Unit Price (Rs.)	Standard Packages (No. of Units)
WH 00010 P*AJ	11	1	14/0.3	2310	8
WH 00015 P*AJ	14	1.5	22/0.3	3370	6
WH 00025 P*AJ	19	2.5	36/0.3	5500	4
WH 00040 P*AJ	26	4	56/0.3	8090	3
WH 00060 P*AJ	31	6	84/0.3	12290	2

* - Color of Insulation

A - Red

C - Blue

E - Black

T - White

B - Yellow

D - Green

F - Gray

Maximum Retail Prices for Wires and Cables
Effective from 05.09.2013



(B) Flame Retardant Low Smoke (FRLS) PVC Insulated Single Core Unsheathed with Multistrand bare Copper Conductor.

Voltage Grade 1.1kV (1100V), Conforming to IS:694-1990.

(i) FRLS 90 Meter coil

Cat. No.	As per IS:3961 Current Carrying Capacity A	Cross Sectional area of conductor in sq. mm	Construction Details	90 Meters Unit Price (Rs.)	Standard Packages (No. of Units)
WH 00010 S*AO	11	1.00	14/0.3	1250	16
WH 00015 S*AO	14	1.50	22/0.3	1810	10
WH 00025 S*AO	19	2.50	36/0.3	2910	8
WH 00040 S*AO	26	4.00	56/0.3	4270	5
WH 00060 S*AO	31	6.00	84/0.3	6430	4
WH 00100 S*AO	45	10.00	80/0.4	11080	1
WH 00160 S*AO	60	16	126/0.4	17110	1

(ii) FRLS 180 Meter coil

Cat. No.	As per IS:3961 Current Carrying Capacity A	Cross Sectional area of conductor in sq. mm	Construction Details	180 Meters Unit Price (Rs.)	Standard Packages (No. of Units)
WH 00010 S*AJ	11	1.00	14/0.3	2480	8
WH 00015 S*AJ	14	1.50	22/0.3	3600	6
WH 00025 S*AJ	19	2.50	36/0.3	5770	4
WH 00040 S*AJ	26	4.00	56/0.3	8490	3
WH 00060 S*AJ	31	6.00	84/0.3	12800	2

*** - Color of Insulation**

A - Red C - Blue E - Black T - White
 B - Yellow D - Green F - Gray

**Maximum Retail Prices for Wires and Cables
Effective from 05.09.2013**



(C) FLEXIBLE CABLES : TYPE "SAFE & SURE"

PVC Insulated Single Core Unsheathed with Multistrand Bright Annealed bare Copper Conductor.

Voltage Grade 1.1kV (1100V), Conforming to IS:694-1990.

(i) Flexible - Single core - 100 Meter coil

Cat. No.	As per IS:3961 Current Carrying Capacity A	Cross Sectional area of conductor in sq. mm	Construction Details	100 Meters Unit Price (Rs.)	Standard Packages (No. of Units)
WF 00005 P*A0	04	0.50	16/0.20	730	24
WF 00007 P*A0	07	0.75	24/0.20	1010	24
WF 00010 P*A0	11	1.00	32/0.20	1280	16
WF 00015 P*A0	14	1.50	30/0.25	1830	10
WF 00025 P*A0	19	2.50	50/0.25	3010	8
WF 00040 P*A0	26	4.00	56/0.30	4630	5
WF 00060 P*A0	33	6.00	84/0.3	7040	4
WF 00100 P*A0	45	10.00	80/0.4	12240	1
WF 00160 P*A0	60	16.00	126/0.4	18920	1
WF 00250 P*A0	75	25.00	196/0.4	29540	1
WF 00350 P*A0	95	35.00	276/0.4	41200	1
WF 00500 P*A0	125	50.00	396/0.4	58800	1
WF 00700 P*A0	170	70.00	354/0.5	82380	1
WF 00950 P*A0	210	95.00	484/0.5	111050	1
WF 01200 P*A0	235	120.00	608/0.5	140400	1
WF 01500 P*A0	295	150.00	750/0.5	175670	1
WF 01850 P*A0	330	185.00	925/0.5	218030	1
WF 02400 P*A0	400	240.00	1210/0.5	283790	1
WF 03000 P*A0	475	300.00	1527/0.5	355230	1
WF 04000 P*A0	550	400.00	2036/0.5	435300	1

*** - Color of Insulation**

A - Red

C - Blue

E - Black

T - White

B - Yellow

D - Green

F - Gray

Note : Please contact nearest branch for special types such as HRFR , ZHFR and ZHLS wires.

Maximum Retail Prices for Wires and Cables
Effective from 05.09.2013



(ii) Flexible - Two core - 100 Meter coil

Cat. No.	As per IS:3961 Current Carrying Capacity A	Cross Sectional area of conductor in sq. mm	Construction Details	100 Meters Unit Price (Rs.)	Standard Packages (No. of Units)
WF 00005 P*B0	4	0.50	16/0.20	2190	1
WF 00007 P*B0	7	0.75	24/0.20	2790	1
WF 00010 P*B0	11	1.00	32/0.20	3400	1
WF 00015 P*B0	14	1.50	30/0.25	4650	1
WF 00025 P*B0	19	2.50	50/0.25	7410	1
WF 00040 P*B0	26	4.00	56/0.30	11300	1
WF 00060 P*B0	33	6.00	84/0.30	16560	1
WF 00100 P*B0	42	10.00	80/0.40	28280	1

(iii) Flexible - Three core - 100 Meter coil

Cat. No.	As per IS:3961 Current Carrying Capacity A	Cross Sectional area of conductor in sq. mm	Construction Details	100 Meters Unit Price (Rs.)	Standard Packages (No. of Units)
WF 00005 P*C0	4	0.50	16/0.20	2960	1
WF 00007 P*C0	7	0.75	24/0.20	4030	1
WF 00010 P*C0	11	1.00	32/0.20	4670	1
WF 00015 P*C0	14	1.50	30/0.25	6360	1
WF 00025 P*C0	19	2.50	50/0.25	10250	1
WF 00040 P*C0	26	4.00	56/0.30	15790	1
WF 00060 P*C0	33	6.00	84/0.30	23470	1
WF 00100 P*C0	42	10.00	80/0.40	40710	1
WF 00160 P*C0	60	16.00	126/0.4	61660	1

(iv) Flexible - Four core - 100 Meter coil

Cat. No.	As per IS:3961 Current Carrying Capacity A	Cross Sectional area of conductor in sq. mm	Construction Details	100 Meters Unit Price (Rs.)	Standard Packages (No. of Units)
WF 00005 P*D0	4	0.50	16/0.20	3660	1
WF 00007 P*D0	7	0.75	24/0.20	4870	1
WF 00010 P*D0	11	1.00	32/0.20	6060	1
WF 00015 P*D0	14	1.50	30/0.25	8250	1
WF 00025 P*D0	19	2.50	50/0.25	13650	1
WF 00040 P*D0	26	4.00	56/0.30	20650	1
WF 00060 P*D0	33	6.00	84/0.30	31510	1
WF 00100 P*D0	42	10.00	80/0.40	54130	1
WF 00160 P*D0	60	16.00	126/0.4	81480	1

*** - Color of Insulation**

A - Red

C - Blue

E - Black

T - White

B - Yellow

D - Green

F - Gray

Sheet : 4 of 5

Maximum Retail Prices for Wires and Cables Effective from 05.09.2013



(D) FLAT CABLES

Voltage Grade 1.1kV (1100V), Conforming to IS:694-1990.

Note :

Cables are supplied in drums in continuous length of 500 meters and 1000 meters

Minimum order quantity is 500 meters.

L&T reserves the right to supply non standard lengths up to 20% of the quantity ordered

(i) Flat cables

Cat. No.	As per IS:3961 Current Carrying Capacity A	Cross Sectional area of conductor in sq. mm	Construction Details	ISI	
				500 Meters Drum Price (Rs.)	1000 Meters Drum Price (Rs.)
WS 00010 PECM#	11	1.00	14/0.3	26235	52470
WS 00015 PECM#	14	1.50	22/0.3	32455	64910
WS 00025 PECM#	19	2.50	36/0.3	50470	100940
WS 00040 PECM#	26	4.00	56/0.3	73010	146020
WS 00060 PECM#	31	6.00	84/0.3	108150	216300
WS 00100 PECM#	45	10.00	80/0.4	189670	379340
WS 00160 PECM#	60	16.00	126/0.4	282500	565000

(ii) Flat cables - Thick

Cat. No.	As per IS:3961 Current Carrying Capacity A	Cross Sectional area of conductor in sq. mm	Construction Details	500 Meters Drum Price (Rs.)	1000 Meters Drum Price (Rs.)
WS T0015 PECM#	14	1.50	22/0.3	34290	68580
WS T0025 PECM#	19	2.50	36/0.3	53180	106360
WS T0040 PECM#	26	4.00	56/0.3	74620	149240

(iii) XLPE cables

Cat. No.	As per IS:3961 Current Carrying Capacity A	Cross Sectional area of conductor in sq. mm	Construction Details	500 Meters Drum Price (Rs.)	1000 Meters Drum Price (Rs.)
WS00015XECM#	14	1.50	22/0.3	35215	70430
WS00025XECM#	19	2.50	36/0.3	54805	109610
WS00040XECM#	26	4.00	56/0.3	79240	158480

- Drum size

5 - 500 Meter

1 - 1000 Meter